# Safety Data Sheet

1225SYM

Serenade 5.

### 1 Material and Supplier Identification

Product Name:	Harmony High Solids Floor Finish	
Description:	Floor Finish	
Recommended use of the chemical and restrictions:	Use only for the purpose on product label. This product is prior dilution if specified on product label.	not intended to be used without
Supplier's Information:	<b>Serenade Solutions, LLC</b> 2040 Junction Ave San Jose, CA 95131 (408) 286-8141 (Customer Service )	
Emergency Telephone:	(800) 255-3924 USA (813)248-0585 International (Chen	ntel 24 hrs)
2 Hazards Identification		
Classification of Mixture:	Eye Irritation: Category 2B Skin Irritation: Category 3	Pictogram No Pictogram
Signal Word:	WARNING	
Hazard Statements:	Causes mild skin irritation. Causes eye irritation	
Precautionary Statements		
General:	KEEP OUT OF REACH OF CHILDREN. Read label before	e use.
Prevention:	Wash hands thoroughly after handling.	
Response:	IF ON SKIN: Take off contaminated clothing and wash before re irritation persists: Get medical attention. IF IN EYES: Rinse cautiously with water for several minutes.Rer easy to do. Continue rinsing. If eye irritation persists: Get medica IF INHALED: Remove person to fresh air and keep comfortable call a Poison Center or get medical attention. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Get	nove contact lenses, if present and al attention. for breathing. If problem persists,
3 Composition/Information	on Ingredients	

Hazardous Ingredients	<u>CAS Number</u>	Concentration Range %
Diethylene Glycol Monoethyl Ether	111-90-0	1-10
Tributoxy Ethyl Phosphate	78-51-3	1-5

4 First Aid Measures	8
Eye Contact:	Flush eyes with water for 15 minutes. Remove contact lenses if any.
Skin Contact:	Contact with concentrate may be an irritant to sensitive skin. If spilt in large areas of skin, rinse immediately with water and remove clothing. Wash skin thoroughly with soap and water.
Inhalation	If discomfort is experienced after prolonged exposure to vapors, move person to fresh air. Get medical attention if irritation persists.
Ingestion:	Get medical attention immediately. Rinse mouth with water. Do NOT induce vomiting. Drink glass of water to dilute product.

5 Firefighting Measures	
Suitable Extinguishing Media:	Water spray, normal foam, dry agent (carbon dioxide, dry chemical powder.)
Specific Hazards arising from the Chemical:	In a fire or if heated, a pressure increase will occur and the container may burst. Combustion products may include and are not limited to nitrogen oxides, carbon monoxide, and carbon dioxide.
Specific Protective Equipment and Precautions for Firefighters:	Firefighters should wear NIOSH approved self-contained breathing apparatus and protective clothing. If safe to do so, remove containers from path of fire. If involved in a fire, keep containers cool with water spray.

	6 Accidental Release Measures
-	

Emergency Procedures:	Keep area clear of personnel until area has been properly cleaned.
Personal Precautions/ Protective Equipment:	Slippery when spilt. To avoid accidents, clean up immediately and shut off source of leak, if safe to do so. Wear appropriate protective equipment to prevent any contamination of skin, eyes, and personal clothing. Provide sufficient ventilation.
Environmental Precautions:	If contamination of sewers or waterways has occurred, advise local emergency services.
Methods for Containment and Cleaning Up:	Contain spill with absorbent (soil, sand, or other inert material) or spill kit to prevent contamination of sewers or waterways. Neutralization agent is not recommended within building, as toxic vapors may be omitted. Properly dispose of used absorbents in accordance with local, state, and federal regulations.

7 Handling and Storage	
Precautions for Safe Handling:	Avoid skin and eye contact, inhalation and ingestion. Wash hands thoroughly after use. Keep out of reach of children.
Conditions for Safe Storage, Including Incompatiibiities:	Store in cool, dry place and out of direct sunlight. Store away from source of heat or ignition. Do not mix with other chemicals. Keep container closed when not in use, and check regularly for leaks.

See Section 10 for incompatible materials.

٦

8 Exposure Controls/Personal Protection					
Control Parameters:					
Hazardous Ingredients	ACGIH TLV	<u>OSHA PEL</u>	NIOSH IDLH		
Diethylene Glycol Monoethyl Ether	5 ppm	N/A	N/A		
Tributoxy Ethyl Phosphate	N/A	N/A	N/A		

Appropriate engineering controls:	Good ventilation should be sufficient to control worker exposure to airborne contaminants.
Personal Protection	
Eye Protection:	May use protective glasses if splashing or spray-back is likely.
Hand Protection:	Use protective gloves when used for prolong periods or if skin sensitive.
Skin Protection:	Use apron if splashing or spray-back is likely.
Respiratory Protection:	Use in well ventilated areas or local exhaust ventilation when cleaning small spaces.
Hygiene Measures:	Always wash hands after handling chemical products, and before smoking, eating, drinking, or using the toilet. Wash contaminated clothing or protective equipment before storage and re-use.

### 9 Physical and Chemical Properties

Physical State:	Liquid	Specific Gravity:	1.02	Vapour Pressure (mm Hg):	< 17 mm Hg
Color:	White	Evaporation Rate:	< 1	Vapour Density:	> 1
Odor:	Slight Ammonia	Solubility in Water:	Complete	Freezing Point (°F):	< 32
pH:	8.5-9.5	VOC (g/L):	N/A	Boiling Point (°F):	> 212
				Flash Point (°F):	> 200
		< means less than	>	means greater than	

**Note:** These physical data are typical values based on material tested but may vary from sample to sample. Typical values should not be construed as a guaranteed analysis of any specific lot or as specification items.

#### 10 Stability and Reactivity

Reactivity:	No specific data
Chemical Stability:	Stable
Possibility of Hazardous Reactions:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to Avoid:	Avoid exposure to heat and light.
Incompatible Materials:	Slightly reactive or incompatible with oxidizers (e.g., bleach), strong acids (e.g., hydrochloric acid) and reactive metals (e.g., aluminum).
Hazardous Decomposition Products:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

12/7/2022	1225SYM	Harmony High Solids Floor Finish	Page 3 of 5

## 11 Toxological Information

Symptoms:							
Aquita Tavisitu	Eye Contact: Skin Contact: Inhalation: Ingestion:	Adverse symptoms may include the following: irritation, watering, redness Adverse symptoms may include the following: irritation, redness Adverse symptoms may include the following: respiratory tract irritation, coughing Adverse symptoms may include the following: stomach pains					
Acute Toxicity:	Eye Contact: Skin Contact: Inhalation: Ingestion:	Causes eye irritation Causes skin irritation May cause respiratory irritation. May cause burns to mouth, throat and stomach.					
Toxicity Data:							
Hazardous Ing			<u>Result</u>	<u>Species</u>	Dose		
Diethylene Glycol Monoethyl Ether			LD50 - Oral	Rat	5400 mg/kg		
			LD50-Dermal	Rabbit	9000 mg/kg		
Tributoxy Ethyl	Phosphate		LD 50- Oral	Rat	3000 mg/kg		
			LC 50- Inhalation	Rat	>6.4 mg/kg		
			LD 50- Dermal	Rabbit	> 2050 mg/kg		
Chronic Effects	:	No known s	No known significant effects or critical hazards				
12 Ecologic	al Information						
Ecotoxicity:	Ecotoxicity: No data available.						
Aquatic Toxici	ty:						
Hazardous Ingredients			Beault	Species	Dose		
<u>Hazaruous my</u>	reulents		<u>Result</u>	<u>Species</u>	<u>2000</u>		
	col Monoethyl Ether		LC50	Goldfish	> 5,000 mg/L		
	col Monoethyl Ether		LC50 LC 50	Goldfish rainbow trout	> 5,000 mg/L 24 mg/l 96 hr		
Diethylene Glyc	col Monoethyl Ether		LC50 LC 50	Goldfish	> 5,000 mg/L		
Diethylene Glyc	col Monoethyl Ether Phosphate	No known s	LC50 LC 50	Goldfish rainbow trout Daphnia Magna	> 5,000 mg/L 24 mg/l 96 hr		
Diethylene Glyc Tributoxy Ethyl Other Adverse	col Monoethyl Ether Phosphate	No known s	LC50 LC 50 EC 50	Goldfish rainbow trout Daphnia Magna	> 5,000 mg/L 24 mg/l 96 hr		
Diethylene Glyc Tributoxy Ethyl Other Adverse	col Monoethyl Ether Phosphate Effects: Considerations	Diluted prod	LC50 LC 50 EC 50 ignificant effects or d	Goldfish rainbow trout Daphnia Magna critical hazards.	> 5,000 mg/L 24 mg/l 96 hr 53 mg/l 48 hr d empty container in trash.		
Diethylene Glyd Tributoxy Ethyl Other Adverse I 13 Disposal Metho	col Monoethyl Ether Phosphate Effects: Considerations	Diluted prod Dispose of v	LC50 LC 50 EC 50 ignificant effects or d	Goldfish rainbow trout Daphnia Magna critical hazards. o sanitary sewer. Discar	> 5,000 mg/L 24 mg/l 96 hr 53 mg/l 48 hr d empty container in trash.		
Diethylene Glyc Tributoxy Ethyl Other Adverse I 13 Disposal Disposal Methor 14 Transport Certain shipping The classificatio <u>Ground Transport</u>	col Monoethyl Ether Phosphate Effects: Considerations ds: tation Information g modes or package on provided may not ort	Diluted prod Dispose of v Dispose of v Sizes may hav reflect those e	LC50 LC 50 EC 50 ignificant effects or o luct can be flushed t waste in accordance ve exceptions from the xceptions and may r	Goldfish rainbow trout Daphnia Magna critical hazards. o sanitary sewer. Discar	> 5,000 mg/L 24 mg/l 96 hr 53 mg/l 48 hr d empty container in trash. ocal regulations.		
Diethylene Glyd Tributoxy Ethyl Other Adverse I 13 Disposal Disposal Method 14 Transpor Certain shipping The classificatio Ground Transpor DOT Classificat	col Monoethyl Ether Phosphate Effects: Considerations ds: tation Information g modes or package on provided may not ort	Diluted prod Dispose of v <b>Dn</b> sizes may hav	LC50 LC 50 EC 50 ignificant effects or o luct can be flushed t waste in accordance ve exceptions from the xceptions and may r	Goldfish rainbow trout Daphnia Magna critical hazards. to sanitary sewer. Discar with federal, state, and I he transport regulations.	> 5,000 mg/L 24 mg/l 96 hr 53 mg/l 48 hr d empty container in trash. ocal regulations.		
Diethylene Glyd Tributoxy Ethyl Other Adverse I 13 Disposal Disposal Methor 14 Transpor Certain shipping The classificatio Ground Transpor DOT Classificat UN Number:	col Monoethyl Ether Phosphate Effects: Considerations ds: tation Information g modes or package on provided may not ort ion:	Diluted prod Dispose of v Dispose of v Sizes may hav reflect those e	LC50 LC 50 EC 50 ignificant effects or o luct can be flushed t waste in accordance ve exceptions from the xceptions and may r	Goldfish rainbow trout Daphnia Magna critical hazards. to sanitary sewer. Discar with federal, state, and I he transport regulations.	> 5,000 mg/L 24 mg/l 96 hr 53 mg/l 48 hr d empty container in trash. ocal regulations.		
Diethylene Glyd Tributoxy Ethyl Other Adverse I 13 Disposal Disposal Method 14 Transport Certain shipping The classificatio Ground Transport DOT Classificat UN Number: Transport Haza	col Monoethyl Ether Phosphate Effects: Considerations ds: tation Information g modes or package on provided may not ort ion: rd Class:	Diluted prod Dispose of v Dispose of v Sizes may hav reflect those e	LC50 LC 50 EC 50 ignificant effects or o luct can be flushed t waste in accordance ve exceptions from the xceptions and may r	Goldfish rainbow trout Daphnia Magna critical hazards. to sanitary sewer. Discar with federal, state, and I he transport regulations.	> 5,000 mg/L 24 mg/l 96 hr 53 mg/l 48 hr d empty container in trash. ocal regulations.		
Diethylene Glyd Tributoxy Ethyl Other Adverse I 13 Disposal Disposal Methor 14 Transpor Certain shipping The classificatio Ground Transpor DOT Classificat UN Number: Transport Haza Packaging Grou	col Monoethyl Ether Phosphate Effects: Considerations ds: tation Information g modes or package on provided may not ort cion: rd Class: up:	Diluted prod Dispose of v Dispose of v Sizes may hav reflect those e	LC50 LC 50 EC 50 ignificant effects or o luct can be flushed t waste in accordance ve exceptions from the xceptions and may r	Goldfish rainbow trout Daphnia Magna critical hazards. to sanitary sewer. Discar with federal, state, and I he transport regulations.	> 5,000 mg/L 24 mg/l 96 hr 53 mg/l 48 hr d empty container in trash. ocal regulations.		
Diethylene Glyd Tributoxy Ethyl Other Adverse I 13 Disposal Disposal Method 14 Transpor Certain shipping The classificatio Ground Transpor DOT Classificat UN Number: Transport Haza Packaging Grou Hazardous Divis	col Monoethyl Ether Phosphate Effects: Considerations ds: tation Informatic g modes or package on provided may not ort ion: rd Class: up: sion:	Diluted prod Dispose of v Dispose of v Sizes may hav reflect those e	LC50 LC 50 EC 50 ignificant effects or o luct can be flushed t waste in accordance ve exceptions from the xceptions and may r	Goldfish rainbow trout Daphnia Magna critical hazards. to sanitary sewer. Discar with federal, state, and I he transport regulations.	> 5,000 mg/L 24 mg/l 96 hr 53 mg/l 48 hr d empty container in trash. ocal regulations.		
Diethylene Glyd Tributoxy Ethyl Other Adverse I 13 Disposal Disposal Methor 14 Transpor Certain shipping The classificatio Ground Transpor DOT Classificat UN Number: Transport Haza Packaging Grou Hazardous Divis Hazardous Con	col Monoethyl Ether Phosphate Effects: Considerations ds: tation Informatic g modes or package on provided may not ort ion: rd Class: up: sion:	Diluted prod Dispose of v Dispose of v Sizes may hav reflect those e	LC50 LC 50 EC 50 ignificant effects or o luct can be flushed t waste in accordance ve exceptions from the xceptions and may r	Goldfish rainbow trout Daphnia Magna critical hazards. to sanitary sewer. Discar with federal, state, and I he transport regulations.	> 5,000 mg/L 24 mg/l 96 hr 53 mg/l 48 hr d empty container in trash. ocal regulations.		

Contains Diethylene Glycol Monoethyl Ether

12/7/2022	1225SYM	Harmony High Solids Floor Finish	Page 4 of 5

Yes

California Proposition 65: Other Regulations:	No	No				
16 Other Information						
HMIS/NFPA Hazard Rating:	Health: 1	Flammability: 0	Reactivity: 0			

The information contained herein is based on the data available to us. It is believed to be correct. NO warranty, expressed or implied, is made regarding the accuracy of this data or the results to be obtained from the use thereof. For further information consult Serenade Solutions, LLC.